



DESCRIPTION


VILLA is not only an aesthetic designed downlight, but also release high quality light thanks to combination of a precision light beam reflector and secondary reflector. Four sizes with wattages from 5W to 25W plus adjustable version and fixed version, VILLA is truly a LED down light system. So, when you have an environment where ask for different light solution & different cut-outs, VILLA family will be a great choice to get a unified impression.

FEATURES

- Elegant in its style, versatile in its using.
- Full range of fixed and adjustable version downlight with wattages 5W-30W in 4 sizes.
- Interchangeable different color secondary reflectors for anti-glare and decorative function.
- Anti-glare accessories provide maximum visual comfort.



DETAILS




More convenient and secure installation

Perfect Heat Dissipation Design


DIMENSION

VRF050
VRA050




Cut out: \varnothing 50mm

VSA082
VSA082S




Cut out: \varnothing 82*82mm

VRF075
VRA075




Cut out: \varnothing 75mm

VRA082-02
VSA082S-02




Cut out: \varnothing 163*82mm

VRF095
VRA095




Cut out: \varnothing 95mm

TRA082-02




Cut out: \varnothing 163*82mm

VRF120
VRA120




Cut out: \varnothing 120mm

VRA075-02



Cut out: \varnothing 226*113mm

TRA075-02




Cut out: \varnothing 226*113mm

SPECIFICATION

INPUT VOLTAGE 220-240V / 100-120V / 100-277V AC, 50-60Hz
 DIMMABLE ON/OFF, Triac-DIM, DALI-DIM, 1-10V-DIM
 BEAM ANGLE 15°,24°,38°,60°
 HOUSING COLOR Black
 OPERATING TEMPERATURE RANGE -20--+45°C

MODEL NUMBER	POWER	COLOR TEMP	LUMINOUS FLUX(Lm)
VRA050 VRF050	5W	2700K 3000K 4000K	247lm(CRI90+) 252lm(CRI90+) 271lm(CRI90+)
VRA075 VRF075	10W	2700K 3000K 4000K	554lm(CRI90+) 565lm(CRI90+) 576lm(CRI90+)
VRA095 VRF095	18W	2700K 3000K 4000K	1068lm(CRI90+) 1124lm(CRI90+) 1146m(CRI90+)
VRA0120 VRF0120	28W	2700K 3000K 4000K	1561lm(CRI90+) 1592lm(CRI90+) 1624lm(CRI90+)
VSA082	10W	2700K 3000K 4000K	571lm(CRI90+) 583lm(CRI90+) 595lm(CRI90+)
VSA082-02	10WX2	2700K 3000K 4000K	1148lm(CRI90+) 1172lm(CRI90+) 1195lm(CRI90+)
VSA082S	10W	2700K 3000K 4000K	529lm(CRI90+) 540lm(CRI90+) 551lm(CRI90+)
VSA082S-02	10WX2	2700K 3000K 4000K	1070lm(CRI90+) 1092lm(CRI90+) 1114lm(CRI90+)

LIGHT DISTRIBUTION



PACKAGE

Model	VRA050/VRF050
PCS/Carton	30
Inner Box size(cm)	12.5*9.5*10.5
Carton size(cm)	49.5*26.5*33.5
Net weight(kg)	7.2
Gross weight(kg)	9

Model	VRA075/VRF075
PCS/Carton	30
Inner Box size(cm)	15*11*13
Carton size(cm)	57*31.5*41
Net weight(kg)	12.45
Gross weight(kg)	15.5

Model	VRA095/VRF095
PCS/Carton	16
Inner Box size(cm)	18*13*14
Carton size(cm)	54*37.5*30
Net weight(kg)	10.72
Gross weight(kg)	13



Model	VRA120/VRF120
PCS/Carton	12
Inner Box size(cm)	21*15.5*17
Carton size(cm)	48.5*43.5*36
Net weight(kg)	12.66
Gross weight(kg)	15

Model	VSA082
PCS/Carton	
Inner Box size(cm)	
Carton size(cm)	
Net weight(kg)	
Gross weight(kg)	

Model	VSA082-02
PCS/Carton	
Inner Box size(cm)	
Carton size(cm)	
Net weight(kg)	
Gross weight(kg)	

Model	VSA082S
PCS/Carton	
Inner Box size(cm)	
Carton size(cm)	
Net weight(kg)	
Gross weight(kg)	

Model	VSA082S-02
PCS/Carton	
Inner Box size(cm)	
Carton size(cm)	
Net weight(kg)	
Gross weight(kg)	



Secondary Reflector Color



ANTI-GLARE ACCESSORY

