



Type:


SPECIFICATION SHEET

Project:

Page 1 / 4

MOVIA-Motorized

MP-MVS30C-11



DESCRIPTION

MOVIA Motorized Track Light with CASAMBI wireless control. Key features include CCT tunable (2700K to 6000K), zoomable (18° to 60°), and 360° horizontal, ±140° vertical adjustment. Default routine setting for quick adjustment and stylish, screwless design in a golden ratio size to meet most aesthetic needs.

FEATURES

- CASAMBI wireless control.
- CCT Tunable 2700K to 6000K.
- Zoomable 18° to 60°
- 360° Horizontal adjustable.
- ±140° Vertical adjustable.
- Pre-set scenes for automatic adjustment.
- Screwless golden ratio size.

ELECTRICAL

Power:	30W
Voltage:	100-277V AC
Frequency:	50/60Hz
Power factor:	>0.9
Dimming:	CASAMBI




OPTICAL

LED type:	COB
Lumen output:	1573lm
Beam optic:	18° - 60°
Color quality:	CRI 95+, SDCM≤3
Light color:	Tunable white: 2700K-6000K

LUMINAIRE

Installation methods:	Track-mounted
Movement range:	Pan: 0°-360° Tilt: 0°-±140°
Movement resolution:	Pan: <1.5° Tilt: <1.5°
Speed of movement:	Pan: 30°/s Tilt: 40°/s
Housing color:	Black / White
Operating temperature:	-20°C~40°C
Lifespan:	>50000h@80%(L80)
Warranty:	2 years limited warranty

DETAILS



* MOVIA is track light ONLY, it is highly suggested NOT to set the motorised movements running all around the clock!

ENCORE INTERNATIONAL COMPANY LIMITED

HK HQ: Room 803, Chevalier House, 45-51 Chatham Road South, Tsim Sha Tsui, Kowloon.
Factory: 2/F, Bld 8th, Zhengzhong Industrial Park, Qiaotou Community, Fuyong, Bao'an District, Shenzhen.

E: sales@encore-tech.com
T: +852 6768 2519

ENCORE
www.encore-tech.com



ORDERING INFORMATION

MP	MV					
SYSTEM	SERIES	SIZE	POWER	DIMMING	LIGHTING TYPE	INSTALLATION
☐ MP Motor Technology Platform	☐ MV Movia	☐ S Small	☐ 030 30W	☐ C CASAIMBI	☐ 1 Zoomable	☐ 1 Track

HOUSING COLOR	TRACK TYPE	CRI	CCT	OPTIC
☐ W White	☐ 41 4-pin Standard	☐ 9 90	☐ TW Tunable White 2700K-6000K	☐ 1T6 18°-60°
☐ B Black	☐ 42 4-pin Mini	☐ H 95		
	☐ 43 4-pin Global			

ACCESSORIES (TO BE ORDERED SEP ARATELY)
FOR INSTALLATION CONSULT THE INSTRUCTION SHEET

OPTICAL ACCESSORY

☐ **Honeycomb**
TLW030-H

* MOVIA is track light ONLY, it is highly suggested NOT to set the motorised movements running all around the clock!




PHOTOMETRIC DATA (NON-DIMMING)

POWER	CCT	CRI	BEAM OPTIC	LUMENS (lm)	EFFICACY (lm/W)	MAX CANDELA (cd)
30W	3000K	95	18°	1378	48	10179
			60°	1573	53	1684

LIGHT DISTRIBUTION


MOVIA-30W



* MOVIA is track light ONLY, it is highly suggested NOT to set the motorised movements running all around the clock!




DIMENSION



INSTALLATION

Track-mounted



DETAILS



Scan to know more about product information

* MOVIA is track light ONLY, it is highly suggested NOT to set the motorised movements running all around the clock!